

RECEIVED
CENTRAL FAX CENTER

DEC 30 2004

Docket No. F-6971

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Seiichi HAYASHI, et al.
Serial No. : 09/852,111
Filed : May 9, 2001
For : METHOD AND APPARATUS FOR MEASURING
THIN FILM, AND THIN FILM DEPOSITION
SYSTEM
Group Art Unit : 2882
Examiner : Hoon K. Song
Confirmation No. : 5010
Customer No. : 000028107
Allowance Date : October 21, 2004

Certificate of Facsimile Transmission Under 37 CFR 1.8

I hereby certify that this correspondence is being transmitted in accordance with 37 CFR §1.6(d) to the United States Patent Office addressed to COMMISSIONER FOR PATENTS, P.O. Box 1450, Alexandria, VA 22313-1450 on December 30, 2004 to facsimile no. (703) 872-9306.

TOTAL NUMBER OF PAGES TRANSMITTED: 8, 10

Herbert F. Ruschmann
(Name)

HFRuschmann
(Signature)

MAIL STOP 313(c)
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**PETITION TO WITHDRAW APPLICATION FROM ISSUE
UNDER CFR 1.313(c)(2)**

Sir:

Applicant paid the issue fee in the above-identified patent application on December 13, 2004. Applicant hereby petitions to withdraw the above-identified

F6971 pet 313(c)(2) (PG 10).wpd

F-6971

Ser. No. 09/852,111


patent application from issue in accordance with 37 CFR 1.313(c)(2). A Request for Continued Examination (RCE) under 37 CFR 1.114 of the above-identified patent application is provided herewith.

Please charge the petition fee under 37 CFR 1.17(h) of \$130.00 to Deposit Account No. 10-1250.


In light of the foregoing, the application is now believed to be withdrawn from issue and examination thereof resumed. Notice to that effect is earnestly solicited. Please charge any deficiency or credit any overpayment to Deposit Account No. 10-1250.

Respectfully submitted,

Jordan and Hamburg LLP

By 
C. Bruce Hamburg
Reg. No. 22,389
Attorney for Applicants

 and,

By 
Herbert F. Ruschmann
Reg. No. 35,341
Attorney for Applicants

Jordan and Hamburg LLP
122 East 42nd Street
New York, New York 10168
(212) 986-2340